

Brief Technical Information of Adhesives

PACKAGING / LAMINATION / SELF ADHESIVE LABELS

S.No.	Products	Nature	pH	Application
1	Mycron - 7654	Vinyl Acrylic Ester	4 to 6	BOPP to Board / Paper PVC / Ployester & Metalized Polyester to Paper / Board
2	Mycron - 7648	Vinyl Acrylic Ester	4 to 6	BOPP to Board / Paper PVC / Ployester & Metalized Polyester to Paper / Board
3	Mycron - 7644	Vinyl Acrylic Ester	4 to 6	PVC / BOPP to Board or Paper
4	Mycron - 7642	Vinyl Acrylic Ester	4 to 6	PVC / BOPP to Board or Paper
5	Mycron - 7633	Vinyl Acrylic Ester	4 to 6	PVC to Board or Paper
6	Mycron - LMA	Vinyl Ester	4 to 6	PVC / BOPP to Board or Paper
7	Mycron - LMP	Vinyl Ester	4 to 6	PVC to Board or Paper Adhesive & Metalized Paper to Board
8	Mycron - VC	Modified	—	Normal Carton Pasting
9	Mycron - 555	Vinyl Ester	—	Lamination Carton Pasting
10	Mycron - 2052	Vinyl Ester	4 to 6	Pressure Sensitive Adhesive for Stock Labels & Self Adhesive Stickers
11	Mycron - 2025	Acrylic	4 to 6	Pressure Sensitive Adhesive for Stock Labels & Self Adhesive Stickers
12	Mycron - 99	Acrylic	4 to 6	Self Adhesive Tapes
13	Mycron - 9900	Acrylic	4 to 6	Self Adhesive Tapes
14	Mycron - SV-670	Acrylic	—	Self Adhesive Tapes & Stock Labels & Holographic Labels
15	Mycron -RM	Acrylic	4 to 6	Re-moistenable Adhesive

Corporate Office : C-7, Amul Commercial Premises, 1st Road, Chembur, Mumbai - 400 071
Phone : + 91-22-2528076, + 91-22-25283972 E-mail.: mayfairbio@gmail.com

Factory : 67 A & 68, Industrial Area, Mehatpur, Distt. Una (H.P.) 174 315 INDIA
Ph. +91-1975-232049, +91-1975-232512 Email : mayfairbio@rediffmail.com

Helpline No's : + 91-98440-35350 (Bangalore), + 91 - 92235 - 45791 (Mumbai)
+ 91 - 98166 - 32049 (North India)

MYCRON - 7633

APPEARANCE	:	Milky White Emulsion
pH	:	Acidic 4.5 to 5.5 when packed
NON-VOLATILE ACTIVE MATTER	:	36% ± 2%
TYPE	:	Vinyl Acrylic Ester
VISCOSITY	:	100 To 120 Cps at 20Rpm Spindle 3
APPLICATION	:	Lamination for PVC to Paper, Board & Cork
WARRANTY/ DISCLAIMER CLAUSE	:	

The product incorporated and solid is without warranty expressed or implied, including warranty of merchantability and fitness for use of this material and upon condition that purchaser shall make their own test to determine the stability and quality of the product for their particular purpose. The user assumes all risks of use and handling, whether or not in accordance with any statement of the supplier. Suppliers' liability of any, for any action arising out of the material being supplied, shall be limited to only replacement of material.

Corporate Office : C-7, Amul Commercial Premises, 1st Road, Chembur, Mumbai - 400 071
Phone : + 91-22-2528076, + 91-22-25283972 E-mail.: mayfairbio@gmail.com

Factory : 67 A & 68, Industrial Area, Mehatpur, Distt. Una (H.P.) 174 315 INDIA
Telefax : +91-1975-232049, +91-1975-232512 Email : mayfairbio@rediffmail.com

Helpline No's : + 91-98440-35350 (Bangalore), + 91 - 92235 - 45791 (Mumbai)
+ 91 - 98166 - 32049 (North India)

MYCRON - 7644

APPEARANCE	:	Milky White Emulsion
pH	:	Acidic 4.5 to 5.5 when packed
NON-VOLATILE ACTIVE MATTER	:	46% ± 2%
TYPE	:	Vinyl Acrylic Ester
VISCOSITY	:	150 To 200 Cps at 20Rpm Spindle 3
APPLICATION	:	Lamination for PVC, BOPP, Polyester to Paper Board & Cork

WARRANTY/ DISCLAIMER CLAUSE:

The product incorporated and solid is without warranty expressed or implied, including warranty of merchantability and fitness for use of this material and upon condition that purchaser shall make their own test to determine the stability and quality of the product for their particular purpose. The user assumes all risks of use and handling, whether or not in accordance with any statement of the supplier. Suppliers' liability of any, for any action

Corporate Office : C-7, Amul Commercial Premises, 1st Road, Chembur, Mumbai - 400 071
Phone : + 91-22-2528076, + 91-22-25283972 E-mail.: mayfairbio@gmail.com

Factory : 67 A & 68, Industrial Area, Mehatpur, Distt. Una (H.P.) 174 315 INDIA
Telefax : +91-1975-232049, +91-1975-232512 Email : mayfairbio@rediffmail.com

Helpline No's : + 91-98440-35350 (Bangalore), + 91 - 92235 - 45791 (Mumbai)
+ 91 - 98166 - 32049 (North India)

MYCRON - 7654

APPEARANCE	:	Milky White Emulsion
pH	:	Acidic 4.5 to 5.5 when packed
NON-VOLATILE ACTIVE MATTER	:	55% ± 2%
TYPE	:	Vinyl Acrylic Ester
VISCOSITY	:	150 To 200 Cps at 20Rpm Spindle 3
APPLICATION	:	Lamination for BOPP for Glossy, MATT Film And Metallized Polyester and BOPP to Paper Board & Cork

WARRANTY/ DISCLAIMER CLAUSE:

The product incorporated and solid is without warranty expressed or implied, including warranty of merchantability and fitness for use of this material and upon condition that purchaser shall make their own test to determine the stability and quality of the product for their particular purpose. The user assumes all risks of use and handling, whether or not in accordance with any statement of the supplier. Suppliers' liability of any, for any action arising out of the material being supplied, shall be limited to only replacement of material.

Corporate Office : C-7, Amul Commercial Premises, 1st Road, Chembur, Mumbai - 400 071
Phone : + 91-22-2528076, + 91-22-25283972 E-mail.: mayfairbio@gmail.com

Factory : 67 A & 68, Industrial Area, Mehatpur, Distt. Una (H.P.) 174 315 INDIA
Telefax : +91-1975-232049, +91-1975-232512 Email : mayfairbio@rediffmail.com

Helpline No's : + 91-98440-35350 (Bangalore), + 91 - 92235 - 45791 (Mumbai)
+ 91 - 98166 - 32049 (North India)

MYCRON - 7648

APPEARANCE	:	Milky White Emulsion
pH	:	Acidic 4.5 to 5.5 when packed
NON-VOLATILE ACTIVE MATTER	:	50% ± 2%
TYPE	:	Vinyl Acrylic Ester
VISCOSITY	:	150 To 200 Cps at 20Rpm Spindle 3
APPLICATION	:	Lamination for BOPP for Glossy, MATT Film And Metallized Polyester and BOPP to Paper Board & Cork

WARRANTY/ DISCLAIMER CLAUSE:

The product incorporated and solid is without warranty expressed or implied, including warranty of merchantability and fitness for use of this material and upon condition that purchaser shall make their own test to determine the stability and quality of the product for their particular purpose. The user assumes all risks of use and handling, whether or not in accordance with any statement of the supplier. Suppliers' liability of any, for any action arising out of the material being supplied, shall be limited to only replacement of material.

Corporate Office : C-7, Amul Commercial Premises, 1st Road, Chembur, Mumbai - 400 071
Phone : + 91-22-2528076, + 91-22-25283972 E-mail.: mayfairbio@gmail.com

Factory : 67 A & 68, Industrial Area, Mehatpur, Distt. Una (H.P.) 174 315 INDIA
Telefax : +91-1975-232049, +91-1975-232512 Email : mayfairbio@rediffmail.com

Helpline No's : + 91-98440-35350 (Bangalore), + 91 - 92235 - 45791 (Mumbai)
+ 91 - 98166 - 32049 (North India)

MYCRON - 7642

APPEARANCE	:	Milky White Emulsion
pH	:	Acidic 4.5 to 5.5 when packed
NON-VOLATILE ACTIVE MATTER	:	43% ± 2%
TYPE	:	Vinyl Acrylic Ester
VISCOSITY	:	150 To 200 Cps at 20Rpm Spindle 3
APPLICATION	:	Lamination for PVC to Board & Paper

WARRANTY/ DISCLAIMER CLAUSE:

The product incorporated and solid is without warranty expressed or implied, including warranty of merchantability and fitness for use of this material and upon condition that purchaser shall make their own test to determine the stability and quality of the product for their particular purpose. The user assumes all risks of use and handling, whether or not in accordance with any statement of the supplier. Suppliers' liability of any, for any action arising out of the material being supplied, shall be limited to only replacement of material.

Corporate Office : C-7, Amul Commercial Premises, 1st Road, Chembur, Mumbai - 400 071
Phone : + 91-22-2528076, + 91-22-25283972 E-mail.: mayfairbio@gmail.com

Factory : 67 A & 68, Industrial Area, Mehatpur, Distt. Una (H.P.) 174 315 INDIA
Telefax : +91-1975-232049, +91-1975-232512 Email : mayfairbio@rediffmail.com

Helpline No's : + 91-98440-35350 (Bangalore), + 91 - 92235 - 45791 (Mumbai)
+ 91 - 98166 - 32049 (North India)

MYCRON - LMA

APPEARANCE	:	Milky White Emulsion
pH	:	Acidic 4.5 to 5.5 when packed
NON-VOLATILE ACTIVE MATTER	:	50% ± 2%
TYPE	:	Vinyl Ester
VISCOSITY	:	120 To 150 Cps at 20Rpm Spindle 3
APPLICATION	:	Lamination for PVC/BOPP to Board & Paper

WARRANTY/ DISCLAIMER CLAUSE:

The product incorporated and solid is without warranty expressed or implied, including warranty of merchantability and fitness for use of this material and upon condition that purchaser shall make their own test to determine the stability and quality of the product for their particular purpose. The user assumes all risks of use and handling, whether or not in accordance with any statement of the supplier. Suppliers' liability of any, for any action arising out of the material being supplied, shall be limited to only replacement of material.

Corporate Office : C-7, Amul Commercial Premises, 1st Road, Chembur, Mumbai - 400 071
Phone : + 91-22-2528076, + 91-22-25283972 E-mail.: mayfairbio@gmail.com

Factory : 67 A & 68, Industrial Area, Mehatpur, Distt. Una (H.P.) 174 315 INDIA
Telefax : +91-1975-232049, +91-1975-232512 Email : mayfairbio@rediffmail.com

Helpline No's : + 91-98440-35350 (Bangalore), + 91 - 92235 - 45791 (Mumbai)
+ 91 - 98166 - 32049 (North India)

MYCRON - LMP

APPEARANCE	:	Milky White Emulsion
pH	:	Acidic 4.5 to 5.5 when packed
NON-VOLATILE ACTIVE MATTER	:	40% ± 2%
TYPE	:	Vinyl Ester
VISCOSITY	:	120 To 150 Cps at 20Rpm Spindle 3
APPLICATION	:	Lamination for PVC to Board & Paper

WARRANTY/ DISCLAIMER CLAUSE:

The product incorporated and solid is without warranty expressed or implied, including warranty of merchantability and fitness for use of this material and upon condition that purchaser shall make their own test to determine the stability and quality of the product for their particular purpose. The user assumes all risks of use and handling, whether or not in accordance with any statement of the supplier. Suppliers' liability of any, for any action arising out of the material being supplied, shall be limited to only replacement of material.

Corporate Office : C-7, Amul Commercial Premises, 1st Road, Chembur, Mumbai - 400 071
Phone : + 91-22-2528076, + 91-22-25283972 E-mail.: mayfairbio@gmail.com

Factory : 67 A & 68, Industrial Area, Mehatpur, Distt. Una (H.P.) 174 315 INDIA
Telefax : +91-1975-232049, +91-1975-232512 Email : mayfairbio@rediffmail.com

Helpline No's : + 91-98440-35350 (Bangalore), + 91 - 92235 - 45791 (Mumbai)
+ 91 - 98166 - 32049 (North India)

MYCRON - VC

APPEARANCE	:	Milky White Emulsion
pH	:	Acidic 4.5 to 5.5 when packed
NON-VOLATILE ACTIVE MATTER	:	55% ± 2%
TYPE	:	Vinyl Ester
VISCOSITY	:	350 To 400 Cps at 20Rpm Spindle 3
APPLICATION	:	Normal Carton Pasting

WARRANTY/ DISCLAIMER CLAUSE:

The product incorporated and solid is without warranty expressed or implied, including warranty of merchantability and fitness for use of this material and upon condition that purchaser shall make their own test to determine the stability and quality of the product for their particular purpose. The user assumes all risks of use and handling, whether or not in accordance with any statement of the supplier. Suppliers' liability of any, for any action arising out of the material being supplied, shall be limited to only replacement of material.

Corporate Office : C-7, Amul Commercial Premises, 1st Road, Chembur, Mumbai - 400 071
Phone : + 91-22-2528076, + 91-22-25283972 E-mail.: mayfairbio@gmail.com

Factory : 67 A & 68, Industrial Area, Mehatpur, Distt. Una (H.P.) 174 315 INDIA
Telefax : +91-1975-232049, +91-1975-232512 Email : mayfairbio@rediffmail.com

Helpline No's : + 91-98440-35350 (Bangalore), + 91 - 92235 - 45791 (Mumbai)
+ 91 - 98166 - 32049 (North India)

MYCRON - 555

APPEARANCE	:	Creamish White Emulsion
pH	:	Acidic 4.5 to 5.5 when packed
NON-VOLATILE ACTIVE MATTER	:	65% ± 2%
TYPE	:	Modified Acrylic Ester
VISCOSITY	:	350 To 400 Cps at 20Rpm Spindle 3
APPLICATION	:	Lamination carton pasting

WARRANTY/ DISCLAIMER CLAUSE:

The product incorporated and solid is without warranty expressed or implied, including warranty of merchantability and fitness for use of this material and upon condition that purchaser shall make their own test to determine the stability and quality of the product for their particular purpose. The user assumes all risks of use and handling, whether or not in accordance with any statement of the supplier. Suppliers' liability of any, for any action arising out of the material being supplied, shall be limited to only replacement of material.

Corporate Office : C-7, Amul Commercial Premises, 1st Road, Chembur, Mumbai - 400 071
Phone : + 91-22-2528076, + 91-22-25283972 E-mail.: mayfairbio@gmail.com

Factory : 67 A & 68, Industrial Area, Mehatpur, Distt. Una (H.P.) 174 315 INDIA
Telefax : +91-1975-232049, +91-1975-232512 Email : mayfairbio@rediffmail.com

Helpline No's : + 91-98440-35350 (Bangalore), + 91 - 92235 - 45791 (Mumbai)
+ 91 - 98166 - 32049 (North India)

MYCRON - 2052

APPEARANCE	:	Milky White Emulsion
pH	:	Acidic 4.5 to 5.5 when packed
NON-VOLATILE ACTIVE MATTER	:	55% ± 2%
TYPE	:	Vinyl Ester
VISCOSITY	:	120 To 170 Cps at 20Rpm Spindle 3
APPLICATION	:	Pressure Sensitive Adhesive for Stock Labels & Self Adhesive Stickers

WARRANTY/ DISCLAIMER CLAUSE:

The product incorporated and solid is without warranty expressed or implied, including warranty of merchantability and fitness for use of this material and upon condition that purchaser shall make their own test to determine the stability and quality of the product for their particular purpose. The user assumes all risks of use and handling, whether or not in accordance with any statement of the supplier. Suppliers' liability of any, for any action arising out of the material being supplied, shall be limited to only replacement of material.

Corporate Office : C-7, Amul Commercial Premises, 1st Road, Chembur, Mumbai - 400 071
Phone : + 91-22-2528076, + 91-22-25283972 E-mail.: mayfairbio@gmail.com

Factory : 67 A & 68, Industrial Area, Mehatpur, Distt. Una (H.P.) 174 315 INDIA
Telefax : +91-1975-232049, +91-1975-232512 Email : mayfairbio@rediffmail.com

Helpline No's : + 91-98440-35350 (Bangalore), + 91 - 92235 - 45791 (Mumbai)
+ 91 - 98166 - 32049 (North India)

MYCRON - 2025

APPEARANCE	:	Milky White Emulsion
pH	:	Acidic 4.5 to 5.5 when packed
NON-VOLATILE ACTIVE MATTER	:	48% ± 2%
TYPE	:	Vinyl Ester
VISCOSITY	:	100 To 150 Cps at 20Rpm Spindle 3
APPLICATION	:	Pressure Sensitive Adhesive for Stock Labels & Self Adhesive Stickers

WARRANTY/ DISCLAIMER CLAUSE:

The product incorporated and solid is without warranty expressed or implied, including warranty of merchantability and fitness for use of this material and upon condition that purchaser shall make their own test to determine the stability and quality of the product for their particular purpose. The user assumes all risks of use and handling, whether or not in accordance with any statement of the supplier. Suppliers' liability of any, for any action arising out of the material being supplied, shall be limited to only replacement of material.

Corporate Office : C-7, Amul Commercial Premises, 1st Road, Chembur, Mumbai - 400 071
Phone : + 91-22-2528076, + 91-22-25283972 E-mail.: mayfairbio@gmail.com

Factory : 67 A & 68, Industrial Area, Mehatpur, Distt. Una (H.P.) 174 315 INDIA
Telefax : +91-1975-232049, +91-1975-232512 Email : mayfairbio@rediffmail.com

Helpline No's : + 91-98440-35350 (Bangalore), + 91 - 92235 - 45791 (Mumbai)
+ 91 - 98166 - 32049 (North India)

MYCRON - 99

APPEARANCE	:	Milky White Emulsion
pH	:	Acidic 4.5 to 5.5 when packed
NON-VOLATILE ACTIVE MATTER	:	55% ± 2%
TYPE	:	Acrylic
VISCOSITY	:	40 To 60 Cps at 20Rpm Spindle 3
APPLICATION	:	Self Adhesive Tapes

WARRANTY/ DISCLAIMER CLAUSE:

The product incorporated and solid is without warranty expressed or implied, including warranty of merchantability and fitness for use of this material and upon condition that purchaser shall make their own test to determine the stability and quality of the product for their particular purpose. The user assumes all risks of use and handling, whether or not in accordance with any statement of the supplier. Suppliers' liability of any, for any action arising out of the material being supplied, shall be limited to only replacement of material.

Corporate Office : C-7, Amul Commercial Premises, 1st Road, Chembur, Mumbai - 400 071
Phone : + 91-22-2528076, + 91-22-25283972 E-mail.: mayfairbio@gmail.com

Factory : 67 A & 68, Industrial Area, Mehatpur, Distt. Una (H.P.) 174 315 INDIA
Telefax : +91-1975-232049, +91-1975-232512 Email : mayfairbio@rediffmail.com

Helpline No's : + 91-98440-35350 (Bangalore), + 91 - 92235 - 45791 (Mumbai)
+ 91 - 98166 - 32049 (North India)

MYCRON - 9900

APPEARANCE	:	Milky White Emulsion
pH	:	Acidic 4.5 to 5.5 when packed
NON-VOLATILE ACTIVE MATTER	:	60% ± 2%
TYPE	:	Acrylic
VISCOSITY	:	40 To 60 Cps at 20Rpm Spindle 3
APPLICATION	:	Self Adhesive Tapes

WARRANTY/ DISCLAIMER CLAUSE:

The product incorporated and solid is without warranty expressed or implied, including warranty of merchantability and fitness for use of this material and upon condition that purchaser shall make their own test to determine the stability and quality of the product for their particular purpose. The user assumes all risks of use and handling, whether or not in accordance with any statement of the supplier. Suppliers' liability of any, for any action arising out of the material being supplied, shall be limited to only replacement of material.

Corporate Office : C-7, Amul Commercial Premises, 1st Road, Chembur, Mumbai - 400 071
Phone : + 91-22-2528076, + 91-22-25283972 E-mail.: mayfairbio@gmail.com

Factory : 67 A & 68, Industrial Area, Mehatpur, Distt. Una (H.P.) 174 315 INDIA
Telefax : +91-1975-232049, +91-1975-232512 Email : mayfairbio@rediffmail.com

Helpline No's : + 91-98440-35350 (Bangalore), + 91 - 92235 - 45791 (Mumbai)
+ 91 - 98166 - 32049 (North India)

MYCRON - SV - 670

APPEARANCE	:	Transparent to Translucent Solution
pH	:
NON-VOLATILE ACTIVE MATTER	:	50% ± 2%
TYPE	:	Acrylic
VISCOSITY	:	170 To 200 Cps at 20Rpm Spindle 3
APPLICATION	:	Self Adhesive Tapes & Stock Labels & Holographic Labels

WARRANTY/ DISCLAIMER CLAUSE:

The product incorporated and solid is without warranty expressed or implied, including warranty of merchantability and fitness for use of this material and upon condition that purchaser shall make their own test to determine the stability and quality of the product for their particular purpose. The user assumes all risks of use and handling, whether or not in accordance with any statement of the supplier. Suppliers' liability of any, for any action arising out of the material being supplied, shall be limited to only replacement of material.

Corporate Office : C-7, Amul Commercial Premises, 1st Road, Chembur, Mumbai - 400 071
Phone : + 91-22-2528076, + 91-22-25283972 E-mail.: mayfairbio@gmail.com

Factory : 67 A & 68, Industrial Area, Mehatpur, Distt. Una (H.P.) 174 315 INDIA
Telefax : +91-1975-232049, +91-1975-232512 Email : mayfairbio@rediffmail.com

Helpline No's : + 91-98440-35350 (Bangalore), + 91 - 92235 - 45791 (Mumbai)
+ 91 - 98166 - 32049 (North India)

MYCRON - RM

APPEARANCE	:	Transparent Emulation
pH	:	Neutral 7.0 when packed
NON-VOLATILE ACTIVE MATTER	:	20% ± 2%
TYPE	:	Acrylic
VISCOSITY	:	80 To 100 Cps at 20Rpm Spindle 3
APPLICATION	:	Re-moistenable Adhesive

WARRANTY/ DISCLAIMER CLAUSE:

The product incorporated and solid is without warranty expressed or implied, including warranty of merchantability and fitness for use of this material and upon condition that purchaser shall make their own test to determine the stability and quality of the product for their particular purpose. The user assumes all risks of use and handling, whether or not in accordance with any statement of the supplier. Suppliers' liability of any, for any action arising out of the material being supplied, shall be limited to only replacement of material.

Corporate Office : C-7, Amul Commercial Premises, 1st Road, Chembur, Mumbai - 400 071
Phone : + 91-22-2528076, + 91-22-25283972 E-mail.: mayfairbio@gmail.com

Factory : 67 A & 68, Industrial Area, Mehatpur, Distt. Una (H.P.) 174 315 INDIA
Telefax : +91-1975-232049, +91-1975-232512 Email : mayfairbio@rediffmail.com

Helpline No's : + 91-98440-35350 (Bangalore), + 91 - 92235 - 45791 (Mumbai)
+ 91 - 98166 - 32049 (North India)